


# American Standard (Inch Pitch) Synchronous Belts Polyurethane Construction



## MXL (0.080") Pitch

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
PU 440MXL	4.40	111.76	55
PU 448MXL	4.48	113.79	56
PU 456MXL	4.56	115.82	57
PU 464MXL	4.64	117.86	58
PU 480MXL	4.80	121.92	60
PU 488MXL	4.88	123.95	61
PU 504MXL	5.04	128.02	63
PU 520MXL	5.20	132.08	65
PU 528MXL	5.28	134.11	66
PU 536MXL	5.36	136.14	67
PU 544MXL	5.44	138.18	68
PU 560MXL	5.60	142.24	70
PU 568MXL	5.68	144.27	71
PU 576MXL	5.76	146.30	72
PU 600MXL	6.00	152.40	75
PU 608MXL	6.08	154.43	76
PU 616MXL	6.16	156.46	77
PU 624MXL	6.24	158.50	78
PU 632MXL	6.32	160.53	79
PU 640MXL	6.40	162.56	80
PU 656MXL	6.56	166.62	82
PU 664MXL	6.64	168.66	83
PU 672MXL	6.72	170.69	84
PU 680MXL	6.80	172.72	85
PU 688MXL	6.88	174.75	86
PU 696MXL	6.96	176.78	87
PU 704MXL	7.04	178.82	88
PU 712MXL	7.12	180.85	89
PU 720MXL	7.20	182.88	90
PU 728MXL	7.28	184.91	91
PU 736MXL	7.36	186.94	92
PU 752MXL	7.52	191.01	94
PU 760MXL	7.60	193.04	95
PU 768MXL	7.68	195.07	96
PU 776MXL	7.76	197.10	97
PU 784MXL	7.84	199.14	98
PU 800MXL	8.00	203.20	100
PU 808MXL	8.08	205.23	101
PU 816MXL	8.16	207.26	102
PU 824MXL	8.24	209.30	103
PU 840MXL	8.40	213.36	105
PU 848MXL	8.48	215.39	106
PU 856MXL	8.56	217.42	107
PU 864MXL	8.64	219.46	108
PU 880MXL	8.80	223.52	110
PU 888MXL	8.88	225.55	111
PU 896MXL	8.96	227.58	112
PU 904MXL	9.04	229.62	113
PU 912MXL	9.12	231.65	114
PU 944MXL	9.44	239.78	118
PU 960MXL	9.60	243.84	120
PU 976MXL	9.76	247.90	122
PU 984MXL	9.84	249.94	123
PU 1000MXL	10.00	254.00	125
PU 1008MXL	10.08	256.03	126
PU 1040MXL	10.40	264.16	130
PU 1048MXL	10.48	266.19	131
PU 1056MXL	10.56	268.22	132
PU 1072MXL	10.72	272.29	134
PU 1080MXL	10.80	274.32	135

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
PU 1112MXL	11.12	282.45	139
PU 1120MXL	11.20	284.48	140
PU 1136MXL	11.36	288.54	142
PU 1152MXL	11.52	292.61	144
PU 1160MXL	11.60	294.64	145
PU 1172MXL	11.72	297.69	147
PU 1184MXL	11.84	300.74	148
PU 1192MXL	11.92	302.77	149
PU 1200MXL	12.00	304.80	150
PU 1216MXL	12.16	308.86	152
PU 1224MXL	12.24	310.90	153
PU 1240MXL	12.40	314.96	155
PU 1272MXL	12.72	323.09	159
PU 1280MXL	12.80	325.12	160
PU 1312MXL	13.12	333.25	164
PU 1320MXL	13.20	335.28	165
PU 1328MXL	13.28	337.31	166
PU 1344MXL	13.44	341.38	168
PU 1360MXL	13.60	345.44	170
PU 1384MXL	13.84	351.54	173
PU 1400MXL	14.00	355.60	175
PU 1440MXL	14.40	365.76	180
PU 1472MXL	14.72	373.89	184
PU 1520MXL	15.20	386.08	190
PU 1536MXL	15.36	390.14	192
PU 1552MXL	15.52	394.21	194
PU 1560MXL	15.60	396.24	195
PU 1600MXL	16.00	406.40	200
PU 1680MXL	16.80	426.72	210
PU 1696MXL	16.96	430.78	212
PU 1728MXL	17.28	438.91	216
PU 1766MXL	17.66	448.56	221
PU 1768MXL	17.68	449.07	221
PU 1800MXL	18.00	457.20	225
PU 1856MXL	18.56	471.42	232
PU 1888MXL	18.88	479.55	236
PU 1920MXL	19.20	487.68	240
PU 1984MXL	19.84	503.94	248
PU 1992MXL	19.92	505.97	249
PU 2000MXL	20.00	508.00	250
PU 2008MXL	20.08	510.03	251
PU 2048MXL	20.48	520.19	256
PU 2120MXL	21.20	538.48	265
PU 2144MXL	21.44	544.58	268
PU 2208MXL	22.08	560.83	276
PU 2240MXL	22.40	568.96	280
PU 2280MXL	22.80	579.12	285
PU 2304MXL	23.04	585.22	288
PU 2320MXL	23.20	589.28	290
PU 2360MXL	23.60	599.44	295
PU 2384MXL	23.84	605.54	298
PU 2400MXL	24.00	609.60	300
PU 2440MXL	24.40	619.76	305
PU 2464MXL	24.64	625.86	308
PU 2480MXL	24.80	629.92	310
PU 2496MXL	24.96	633.98	312
PU 2520MXL	25.20	640.08	315
PU 2544MXL	25.44	646.18	318
PU 2560MXL	25.60	650.24	320
PU 2592MXL	25.92	658.37	324

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
PU 2624MXL	26.24	666.50	328
PU 2656MXL	26.56	674.62	332
PU 2680MXL	26.80	680.72	335
PU 2688MXL	26.88	682.75	336
PU 2776MXL	27.76	705.10	347
PU 2816MXL	28.16	715.26	352
PU 2824MXL	28.24	717.30	353
PU 2880MXL	28.80	731.52	360
PU 2896MXL	28.96	735.58	362
PU 2920MXL	29.20	741.68	365
PU 2968MXL	29.68	753.87	371
PU 2976MXL	29.76	755.90	372
PU 3024MXL	30.24	768.10	378
PU 3040MXL	30.40	772.16	380
PU 3160MXL	31.60	802.64	395
PU 3200MXL	32.00	812.80	400
PU 3240MXL	32.40	822.96	405
PU 3264MXL	32.64	829.06	408
PU 3296MXL	32.96	837.18	412
PU 3440MXL	34.40	873.76	430
PU 3456MXL	34.56	877.82	432
PU 3472MXL	34.72	881.89	434
PU 3624MXL	36.24	920.50	453
PU 3632MXL	36.32	922.53	454
PU 3704MXL	37.04	940.82	463
PU 3712MXL	37.12	942.85	464
PU 3880MXL	38.80	985.52	485
PU 3984MXL	39.84	1011.94	498
PU 4024MXL	40.24	1022.10	503
PU 4032MXL	40.32	1024.13	504
PU 4040MXL	40.40	1026.16	505
PU 4176MXL	41.76	1060.70	522
PU 4248MXL	42.48	1078.99	531
PU 4560MXL	45.60	1158.24	570
PU 4664MXL	46.64	1184.66	583
PU 4800MXL	48.00	1219.20	600
PU 5184MXL	51.84	1316.74	648
PU 6000MXL	60.00	1524.00	750
PU 6080MXL	60.80	1544.32	760
PU 6240MXL	62.40	1584.96	780
PU 8096MXL	80.96	2056.38	1012
PU 8480MXL	84.80	2153.92	1060
PU 9096MXL	90.96	2310.38	1137
PU 10000MXL	100.00	2540.00	1250
PU 10416MXL	104.16	2645.66	1302
PU 11704MXL	117.04	2972.82	1463

**Note:**  
American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.


Ordering Example:

PU 440 MXL 012  
 PU ----- Polyurethane  
 440 ----- Length (inch)  
 MXL ----- Type  
 012 ----- Width

Standard Belt Width (inch)	12	19	25	31
----------------------------	----	----	----	----



# American Standard (Inch Pitch) Synchronous Belts Polyurethane Construction



## XL (0.200") Pitch

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
PU 60XL	6.0	152.40	30
PU 70XL	7.0	177.80	35
PU 76XL	7.6	193.04	38
PU 80XL	8.0	203.20	40
PU 86XL	8.6	218.44	43
PU 88XL	8.8	223.52	44
PU 90XL	9.0	228.60	45
PU 92XL	9.2	233.68	46
PU 94XL	9.4	238.76	47
PU 96XL	9.6	243.84	48
PU 100XL	10.0	254.00	50
PU 102XL	10.2	259.08	51
PU 106XL	10.6	269.24	53
PU 108XL	10.8	274.32	54
PU 110XL	11.0	279.40	55
PU 112XL	11.2	284.48	56
PU 114XL	11.4	289.56	57
PU 116XL	11.6	294.64	58
PU 118XL	11.8	299.72	59
PU 120XL	12.0	304.80	60
PU 124XL	12.4	320.04	62
PU 126XL	12.6	314.96	63
PU 128XL	12.8	325.12	64
PU 130XL	13.0	330.20	65
PU 134XL	13.4	340.36	67
PU 136XL	13.6	345.44	68
PU 138XL	13.8	350.52	69
PU 140XL	14.0	355.60	70
PU 148XL	14.8	375.92	74
PU 150XL	15.0	381.00	75
PU 154XL	15.4	391.16	77
PU 156XL	15.6	396.24	78
PU 160XL	16.0	406.40	80
PU 162XL	16.2	411.72	81
PU 166XL	16.6	421.64	83
PU 168XL	16.8	426.72	84
PU 170XL	17.0	431.80	85
PU 174XL	17.4	441.96	87
PU 176XL	17.6	447.04	88
PU 178XL	17.8	452.12	89
PU 180XL	18.0	457.20	90
PU 182XL	18.2	462.28	91
PU 184XL	18.4	467.36	92
PU 188XL	18.8	477.52	94
PU 190XL	19.0	482.60	95
PU 192XL	19.2	487.68	96
PU 196XL	19.6	497.84	98
PU 198XL	19.8	502.92	99
PU 200XL	20.0	508.00	100
PU 210XL	21.0	533.40	105
PU 220XL	22.0	558.80	110
PU 230XL	23.0	584.20	115
PU 232XL	23.2	589.28	116
PU 240XL	24.0	609.60	120
PU 244XL	24.4	619.76	122
PU 248XL	24.8	629.92	124
PU 250XL	25.0	635.00	125
PU 260XL	26.0	660.40	130
PU 270XL	27.0	685.80	135
PU 272XL	27.2	690.88	136



Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
PU 274XL	27.4	695.96	137
PU 280XL	28.0	711.20	140
PU 286XL	28.6	726.44	143
PU 288XL	28.8	731.52	144
PU 290XL	29.0	736.60	145
PU 296XL	29.6	751.84	148
PU 300XL	30.0	762.00	150
PU 306XL	30.6	777.24	153
PU 310XL	31.0	787.40	155
PU 316XL	31.6	802.64	158
PU 320XL	32.0	812.80	160
PU 322XL	32.2	817.88	161
PU 330XL	33.0	838.20	165
PU 340XL	34.0	863.60	170
PU 344XL	34.4	873.76	172
PU 350XL	35.0	889.00	175
PU 360XL	36.0	914.40	180
PU 380XL	38.0	965.20	190
PU 382XL	38.2	970.28	191
PU 388XL	38.8	985.52	194
PU 390XL	39.0	990.60	195
PU 392XL	39.2	995.68	196
PU 412XL	41.2	1046.48	206
PU 414XL	41.4	1051.56	207
PU 432XL	43.2	1097.28	216
PU 438XL	43.8	1112.52	219
PU 460XL	46.0	1168.40	230
PU 498XL	49.8	1264.92	249
PU 506XL	50.6	1285.24	253
PU 514XL	51.4	1305.56	257
PU 580XL	58.0	1473.20	290
PU 630XL	63.0	1600.20	315

**Note:**  
American Metric Corporation's  
Advanced Polymer Group has  
developed a new state-of-the-art  
revolutionary molding process  
whereby special profiles can be  
produced at very minimal cost.  
If you need it, We can produce it.

Standard Belt Width (inch)	25	31	37	50	75	100
----------------------------	----	----	----	----	----	-----

Ordering Example:  
PU 60 XL 025  
PU -----Polyurethane  
60L ----- Length (inch)  
XL ----- Type  
025 ----- Width (inch)

# American Standard (Inch Pitch) Synchronous Belts Polyurethane Construction



## L (0.375") Pitch

## H (0.500") Pitch

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
PU 124L	12.40	314.96	33
PU 150L	15.00	381.00	40
PU 169L	16.90	429.26	45
PU 173L	17.30	439.42	46
PU 187L	18.75	476.20	50
PU 202L	20.20	513.08	53
PU 210L	21.00	533.40	56
PU 225L	22.50	571.50	60
PU 236L	23.60	600.70	63
PU 240L	24.00	609.60	64
PU 244L	24.40	619.76	65
PU 255L	25.50	647.70	68
PU 258L	25.80	655.32	69
PU 270L	27.00	685.80	72
PU 285L	28.50	723.90	76
PU 300L	30.00	762.00	80
PU 322L	32.25	819.10	86
PU 345L	34.50	876.30	92
PU 367L	36.75	933.40	98
PU 390L	39.00	990.60	104
PU 405L	40.50	1028.70	108
PU 420L	42.00	1066.80	112
PU 435L	43.50	1104.90	116
PU 450L	45.00	1143.00	120
PU 454L	45.40	1152.53	121
PU 480L	48.00	1219.20	128
PU 510L	51.00	1295.40	136
PU 525L	52.50	1333.50	140
PU 540L	54.00	1371.60	144
PU 600L	60.00	1524.00	160
PU 630L	63.00	1600.20	168
PU 660L	66.00	1676.40	176
PU 817L	81.70	2075.18	217

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
PU 200H	20.00	508.00	40
PU 230H	23.00	584.20	46
PU 240H	24.00	609.6	48
PU 255H	25.50	647.7	51
PU 270H	27.00	685.8	54
PU 280H	28.00	711.20	56
PU 300H	30.00	762.0	60
PU 330H	33.00	838.2	66
PU 335H	33.50	850.9	67
PU 360H	36.00	914.4	72
PU 370H	37.00	939.8	74
PU 390H	39.00	990.6	78
PU 400H	40.00	1016.0	80
PU 420H	42.00	1066.8	84
PU 430H	43.00	1092.20	86
PU 450H	45.00	1143.0	90
PU 465H	46.50	1181.10	93
PU 480H	48.00	1219.2	96
PU 510H	51.00	1295.4	102
PU 540H	54.00	1371.6	108
PU 560H	56.00	1422.40	112
PU 570H	57.00	1447.8	114
PU 600H	60.00	1524.0	120
PU 630H	63.00	1600.2	126
PU 640H	64.00	1625.60	128
PU 650H	65.00	1651.00	130
PU 660H	66.00	1676.4	132
PU 680H	68.00	1727.20	136
PU 700H	70.00	1778.0	140
PU 720H	72.00	1828.80	144
PU 730H	73.00	1854.2	146
PU 750H	75.00	1905.0	150
PU 770H	77.00	1955.80	154
PU 800H	80.00	2032.0	160
PU 850H	85.00	2159.0	170
PU 860H	86.00	2184.40	172
PU 900H	90.00	2286.0	180
PU 950H	95.00	2413.00	190
PU 1000H	100.00	2540.0	200
PU 1100H	110.00	2794.0	220
PU 1250H	125.00	3175.0	250
PU 1400H	140.00	3556.0	280
PU 1700H	170.00	4318.0	340

Standard Belt Width (inch)	50	75	100	150	200	300
----------------------------	----	----	-----	-----	-----	-----


Standard Belt Width (inch)	75	100	150	200	300	400	500
----------------------------	----	-----	-----	-----	-----	-----	-----

Ordering Example:  
 PU 124 L 050  
 PU -----Polyurethane  
 124 ----- Length (inch)  
 L ----- Type  
 050 ----- Width (inch)

**Note:**  
 American Metric Corporation's  
 Advanced Polymer Group has  
 developed a new state-of-the-art  
 revolutionary molding process  
 whereby special profiles can be  
 produced at very minimal cost.  
 If you need it, We can produce it.

# American (Inch Pitch) Double Synchronous Belts

## MXL Pitch



### 0.080 Inch Pitch (MXL) for 1/8", 3/16", & 1/4" Wide


Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D403 MXL 012	-	40.30	1/8	2/25	504
D403 MXL 019	-	40.30	1/5	2/25	504
D403 MXL 025	-	40.30	1/4	2/25	504
D403 MXL 031	-	40.30	1/3	2/25	504
D403 MXL SLV	-	40.30	-	2/25	504
D418 MXL 012	-	41.80	1/8	2/25	523
D418 MXL 019	-	41.80	1/5	2/25	523
D418 MXL 025	-	41.80	1/4	2/25	523
D418 MXL 031	-	41.80	1/3	2/25	523
D418 MXL SLV	-	41.80	-	2/25	523
D425 MXL 012	-	42.50	1/8	2/25	531
D425 MXL 019	-	42.50	1/5	2/25	531
D425 MXL 025	-	42.50	1/4	2/25	531
D425 MXL 031	-	42.50	1/3	2/25	531
D425 MXL SLV	-	42.50	-	2/25	531
D456 MXL 012	-	45.60	1/8	2/25	570
D456 MXL 019	-	45.60	1/5	2/25	570
D456 MXL 025	-	45.60	1/4	2/25	570
D456 MXL 031	-	45.60	1/3	2/25	570
D456 MXL SLV	-	45.60	-	2/25	570
D466 MXL 012	-	46.60	1/8	2/25	583
D466 MXL 019	-	46.60	1/5	2/25	583
D466 MXL 025	-	46.60	1/4	2/25	583
D466 MXL 031	-	46.60	1/3	2/25	583
D466 MXL SLV	-	46.60	-	2/25	583
D480 MXL 012	-	48.00	1/8	2/25	600
D480 MXL 019	-	48.00	1/5	2/25	600
D480 MXL 025	-	48.00	1/4	2/25	600
D480 MXL 031	-	48.00	1/3	2/25	600
D480 MXL SLV	-	48.00	-	2/25	600
D518 MXL 012	-	51.80	1/8	2/25	648
D518 MXL 019	-	51.80	1/5	2/25	648
D518 MXL 025	-	51.80	1/4	2/25	648
D518 MXL 031	-	51.80	1/3	2/25	648
D518 MXL SLV	-	51.80	-	2/25	648
D600 MXL 012	-	60.00	1/8	2/25	750
D600 MXL 019	-	60.00	1/5	2/25	750
D600 MXL 025	-	60.00	1/4	2/25	750
D600 MXL 031	-	60.00	1/3	2/25	750
D600 MXL SLV	-	60.00	-	2/25	750
D608 MXL 012	-	60.80	1/8	2/25	760
D608 MXL 019	-	60.80	1/5	2/25	760
D608 MXL 025	-	60.80	1/4	2/25	760
D608 MXL 031	-	60.80	1/3	2/25	760
D608 MXL SLV	-	60.80	-	2/25	760
D624 MXL 012	-	62.40	1/8	2/25	780
D624 MXL 019	-	62.40	1/5	2/25	780
D624 MXL 025	-	62.40	1/4	2/25	780
D624 MXL 031	-	62.40	1/3	2/25	780
D624 MXL SLV	-	62.40	-	2/25	780
D810 MXL 012	-	81.00	1/8	2/25	1013
D810 MXL 019	-	81.00	1/5	2/25	1013
D810 MXL 025	-	81.00	1/4	2/25	1013
D810 MXL 031	-	81.00	1/3	2/25	1013
D810 MXL SLV	-	81.00	-	2/25	1013
D848 MXL 012	-	84.80	1/8	2/25	1060
D848 MXL 019	-	84.80	1/5	2/25	1060

D848 MXL 025

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D848 MXL 031	-	84.80	1/4	2/25	1060
D848 MXL SLV	-	84.80	1/3	2/25	1060
D910 MXL 012	-	84.80	-	2/25	1060
D910 MXL 019	-	91.00	1/8	2/25	1138
D910 MXL 025	-	91.00	1/5	2/25	1138
D910 MXL 031	-	91.00	1/4	2/25	1138
D910 MXL SLV	-	91.00	1/3	2/25	1138
D1000 MXL 012	-	91.00	-	2/25	1138
D1000 MXL 019	-	100.00	1/8	2/25	1250
D1000 MXL 025	-	100.00	1/5	2/25	1250
D1000 MXL 031	-	100.00	1/4	2/25	1250
D1000 MXL SLV	-	100.00	1/3	2/25	1250
D1024 MXL 012	-	100.00	-	2/25	1250
D1024 MXL 019	-	102.40	1/8	2/25	1280
D1024 MXL 025	-	102.40	1/5	2/25	1280
D1024 MXL 031	-	102.40	1/4	2/25	1280
D1024 MXL SLV	-	102.40	1/3	2/25	1280
D1170 MXL 012	-	102.40	-	2/25	1280
D1170 MXL 019	-	117.00	1/8	2/25	1463
D1170 MXL 025	-	117.00	1/5	2/25	1463
D1170 MXL 031	-	117.00	1/4	2/25	1463
D1170 MXL SLV	-	117.00	1/3	2/25	1463

**Note:**  
 American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.

# American (Inch Pitch) Double Synchronous Belts XL Pitch




## 1/5 Inch Pitch (XL) for 1/4" & 3/8" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D140 XL 025	.020	14.00	1/4	1/5	70
D140 XL 031	-	14.00	1/3	1/5	70
D140 XL 037	.030	14.00	3/8	1/5	70
D140 XL SLV	-	14.00	-	1/5	70
D150 XL 025	.020	15.00	1/4	1/5	75
D150 XL 031	-	15.00	1/3	1/5	75
D150 XL 037	.030	15.00	3/8	1/5	75
D150 XL SLV	-	15.00	-	1/5	75
D156 XL 025	-	15.60	1/4	1/5	78
D156 XL 031	-	15.60	1/3	1/5	78
D156 XL 037	-	15.60	3/8	1/5	78
D156 XL SLV	-	15.60	-	1/5	78
D160 XL 025	.020	16.00	1/4	1/5	80
D160 XL 031	-	16.00	1/3	1/5	80
D160 XL 037	.030	16.00	3/8	1/5	80
D160 XL SLV	-	16.00	-	1/5	80
D170 XL 025	.020	17.00	1/4	1/5	85
D170 XL 031	-	17.00	1/3	1/5	85
D170 XL 037	.030	17.00	3/8	1/5	85
D170 XL SLV	-	17.00	-	1/5	85
D180 XL 025	.030	18.00	1/4	1/5	90
D180 XL 031	-	18.00	1/3	1/5	90
D180 XL 037	.040	18.00	3/8	1/5	90
D180 XL SLV	-	18.00	-	1/5	90
D190 XL 025	.030	19.00	1/4	1/5	95
D190 XL 031	-	19.00	1/3	1/5	95
D190 XL 037	.040	19.00	3/8	1/5	95
D190 XL SLV	-	19.00	-	1/5	95
D200 XL 025	.030	20.00	1/4	1/5	100
D200 XL 031	-	20.00	1/3	1/5	100
D200 XL 037	.040	20.00	3/8	1/5	100
D200 XL SLV	-	20.00	-	1/5	100
D206 XL 025	.030	20.60	1/4	1/5	103
D206 XL 031	-	20.60	1/3	1/5	103
D206 XL 037	.040	20.60	3/8	1/5	103
D206 XL SLV	-	20.60	-	1/5	103
D210 XL 025	.030	21.00	1/4	1/5	105
D210 XL 031	-	21.00	1/3	1/5	105
D210 XL 037	.040	21.00	3/8	1/5	105
D210 XL SLV	-	21.00	-	1/5	105
D214 XL 025	-	21.40	1/4	1/5	107
D214 XL 031	-	21.40	1/3	1/5	107
D214 XL 037	-	21.40	3/8	1/5	107
D214 XL SLV	-	21.40	-	1/5	107
D220 XL 025	.030	22.00	1/4	1/5	110
D220 XL 031	-	22.00	1/3	1/5	110
D220 XL 037	.040	22.00	3/8	1/5	110
D220 XL SLV	-	22.00	-	1/5	110
D228 XL 025	.030	22.80	1/4	1/5	114
D228 XL 031	-	22.80	1/3	1/5	114
D228 XL 037	.050	22.80	3/8	1/5	114
D228 XL SLV	-	22.80	-	1/5	114
D230 XL 025	.030	23.00	1/4	1/5	115
D230 XL 031	-	23.00	1/3	1/5	115
D230 XL 037	.050	23.00	3/8	1/5	115
D230 XL SLV	-	23.00	-	1/5	115
D236 XL 025	-	23.60	1/4	1/5	118

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D236 XL 031	-	23.60	1/3	1/5	118
D236 XL 037	-	23.60	3/8	1/5	118
D236 XL SLV	-	23.60	-	1/5	118
D240 XL 025	.030	24.00	1/4	1/5	120
D240 XL 031	-	24.00	1/3	1/5	120
D240 XL 037	.050	24.00	3/8	1/5	120
D240 XL SLV	-	24.00	-	1/5	120
D248 XL 025	-	24.80	1/4	1/5	124
D248 XL 031	-	24.80	1/3	1/5	124
D248 XL 037	-	24.80	3/8	1/5	124
D248 XL SLV	-	24.80	-	1/5	124
D250 XL 025	.030	25.00	1/4	1/5	125
D250 XL 031	-	25.00	1/3	1/5	125
D250 XL 037	.050	25.00	3/8	1/5	125
D250 XL SLV	-	25.00	-	1/5	125
D260 XL 025	.030	26.00	1/4	1/5	130
D260 XL 031	-	26.00	1/3	1/5	130
D260 XL 037	.050	26.00	3/8	1/5	130
D260 XL SLV	-	26.00	-	1/5	130
D270 XL 025	.030	27.00	1/4	1/5	135
D270 XL 031	-	27.00	1/3	1/5	135
D270 XL 037	.050	27.00	3/8	1/5	135
D270 XL SLV	-	27.00	-	1/5	135
D276 XL 025	-	27.60	1/4	1/5	138
D276 XL 031	-	27.60	1/3	1/5	138
D276 XL 037	-	27.60	3/8	1/5	138
D276 XL SLV	-	27.60	-	1/5	138
D280 XL 025	.030	28.00	1/4	1/5	140
D280 XL 031	-	28.00	1/3	1/5	140
D280 XL 037	.050	28.00	3/8	1/5	140
D280 XL SLV	-	28.00	-	1/5	140
D290 XL 025	.030	29.00	1/4	1/5	145
D290 XL 031	-	29.00	1/3	1/5	145
D290 XL 037	.050	29.00	3/8	1/5	145
D290 XL SLV	-	29.00	-	1/5	145
D300 XL 025	.040	30.00	1/4	1/5	150
D300 XL 031	-	30.00	1/3	1/5	150
D300 XL 037	.060	30.00	3/8	1/5	150
D300 XL SLV	-	30.00	-	1/5	150
D304 XL 025	-	30.40	1/4	1/5	152
D304 XL 031	-	30.40	1/3	1/5	152
D304 XL 037	-	30.40	3/8	1/5	152
D304 XL SLV	-	30.40	-	1/5	152
D310 XL 025	.040	31.00	1/4	1/5	155
D310 XL 031	-	31.00	1/3	1/5	155
D310 XL 037	.060	31.00	3/8	1/5	155
D310 XL SLV	-	31.00	-	1/5	155
D316 XL 025	-	31.60	1/4	1/5	158
D316 XL 031	-	31.60	1/3	1/5	158
D316 XL 037	-	31.60	3/8	1/5	158
D316 XL SLV	-	31.60	-	1/5	158
D320 XL 025	.040	32.00	1/4	1/5	160
D320 XL 031	-	32.00	1/3	1/5	160
D320 XL 037	.060	32.00	3/8	1/5	160
D320 XL SLV	-	32.00	-	1/5	160
D326 XL 025	-	32.60	1/4	1/5	163
D326 XL 031	-	32.60	1/3	1/5	163

# American (Inch Pitch) Double Synchronous Belts XL Pitch



## 1/5 Inch Pitch (XL) for 1/4" & 3/8" Wide Belts


Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D326 XL 037	-	32.60	3/8	1/5	163
D326 XL SLV	-	32.60	-	1/5	163
D330 XL 025	.040	33.00	1/4	1/5	165
D330 XL 031	-	33.00	1/3	1/5	165
D330 XL 037	.060	33.00	3/8	1/5	165
D330 XL SLV	-	33.00	-	1/5	165
D340 XL 025	.040	34.00	1/4	1/5	170
D340 XL 031	-	34.00	1/3	1/5	170
D340 XL 037	.060	34.00	3/8	1/5	170
D340 XL SLV	-	34.00	-	1/5	170
D348 XL 025	.040	34.80	1/4	1/5	174
D348 XL 031	-	34.80	1/3	1/5	174
D348 XL 037	.060	34.80	3/8	1/5	174
D348 XL SLV	-	34.80	-	1/5	174
D352 XL 025	.050	35.20	1/4	1/5	176
D352 XL 031	-	35.20	1/3	1/5	176
D352 XL 037	.070	35.20	3/8	1/5	176
D352 XL SLV	-	35.20	-	1/5	176
D360 XL 025	.050	36.00	1/4	1/5	180
D360 XL 031	-	36.00	1/3	1/5	180
D360 XL 037	.070	36.00	3/8	1/5	180
D360 XL SLV	-	36.00	-	1/5	180
D364 XL 025	.050	36.40	1/4	1/5	182
D364 XL 031	-	36.40	1/3	1/5	182
D364 XL 037	.070	36.40	3/8	1/5	182
D364 XL SLV	-	36.40	-	1/5	182
D372 XL 025	-	37.20	1/4	1/5	186
D372 XL 031	-	37.20	1/3	1/5	186
D372 XL 037	-	37.20	3/8	1/5	186
D372 XL SLV	-	37.20	-	1/5	186
D376 XL 025	.050	37.60	1/4	1/5	188
D376 XL 031	-	37.60	1/3	1/5	188
D376 XL 037	.070	37.60	3/8	1/5	188
D376 XL SLV	-	37.60	-	1/5	188
D380 XL 025	-	38.00	1/4	1/5	190
D380 XL 031	-	38.00	1/3	1/5	190
D380 XL 037	-	38.00	3/8	1/5	190
D380 XL SLV	-	38.00	-	1/5	190
D384 XL 025	.050	38.40	1/4	1/5	192
D384 XL 031	-	38.40	1/3	1/5	192
D384 XL 037	.070	38.40	3/8	1/5	192
D384 XL SLV	-	38.40	-	1/5	192
D400 XL 025	.060	40.00	1/4	1/5	200
D400 XL 031	-	40.00	1/3	1/5	200
D400 XL 037	.080	40.00	3/8	1/5	200
D400 XL SLV	-	40.00	-	1/5	200
D424 XL 025	.060	42.40	1/4	1/5	212
D424 XL 031	-	42.40	1/3	1/5	212
D424 XL 037	.090	42.40	3/8	1/5	212
D424 XL SLV	-	42.40	-	1/5	212
D432 XL 025	-	43.20	1/4	1/5	216
D432 XL 031	-	43.20	1/3	1/5	216
D432 XL 037	-	43.20	3/8	1/5	216
D432 XL SLV	-	43.20	-	1/5	216
D450 XL 025	.060	45.00	1/4	1/5	225
D450 XL 031	-	45.00	1/3	1/5	225
D450 XL 037	.090	45.00	3/8	1/5	225

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D450 XL SLV	-	45.00	-	1/5	225
D460 XL 025	.060	46.00	1/4	1/5	230
D460 XL 031	-	46.00	1/3	1/5	230
D460 XL 037	.090	46.00	3/8	1/5	230
D460 XL SLV	-	46.00	-	1/5	230
D490 XL 025	.060	49.00	1/4	1/5	245
D490 XL 031	-	49.00	1/3	1/5	245
D490 XL 037	.090	49.00	3/8	1/5	245
D490 XL SLV	-	49.00	-	1/5	245
D496 XL 025	-	49.60	1/4	1/5	248
D496 XL 031	-	49.60	1/3	1/5	248
D496 XL 037	-	49.60	3/8	1/5	248
D496 XL SLV	-	49.60	-	1/5	248
D564 XL 025	-	56.40	1/4	1/5	282
D564 XL 031	-	56.40	1/3	1/5	282
D564 XL 037	-	56.40	3/8	1/5	282
D564 XL SLV	-	56.40	-	1/5	282
D612 XL 025	-	61.20	1/4	1/5	306
D612 XL 031	-	61.20	1/3	1/5	306
D612 XL 037	-	61.20	3/8	1/5	306
D612 XL SLV	-	61.20	-	1/5	306
D630 XL 025	.070	63.00	1/4	1/5	315
D630 XL 031	-	63.00	1/3	1/5	315
D630 XL 037	.100	63.00	3/8	1/5	315
D630 XL SLV	-	63.00	-	1/5	315
D670 XL 025	-	67.00	1/4	1/5	335
D670 XL 031	-	67.00	1/3	1/5	335
D670 XL 037	-	67.00	3/8	1/5	335
D670 XL SLV	-	67.00	-	1/5	335
D720 XL 025	-	72.00	1/4	1/5	360
D720 XL 031	-	72.00	1/3	1/5	360
D720 XL 037	-	72.00	3/8	1/5	360
D720 XL SLV	-	72.00	-	1/5	360
D1300 XL 025	-	130.00	1/4	1/5	650
D1300 XL 031	-	130.00	1/3	1/5	650
D1300 XL 037	-	130.00	3/8	1/5	650
D1300 XL SLV	-	130.00	-	1/5	650

**Note:**  
**American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.**

# American (Inch Pitch) Double Synchronous Belts

## L Pitch




### 3/8 Inch Pitch (L) for 1/2", 3/4" & 1.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D150 L 050	.06	15.00	1/2	3/8	40
D150 L 075	.08	15.00	3/4	3/8	40
D150 L 100	.11	15.00	1	3/8	40
D150 L SLV	-	15.00	-	3/8	40
D173 L 050	-	17.30	1/2	3/8	46
D173 L 075	-	17.30	3/4	3/8	46
D173 L 100	-	17.30	1	3/8	46
D173 L SLV	-	17.30	-	3/8	46
D187 L 050	.07	18.70	1/2	3/8	50
D187 L 075	.10	18.70	3/4	3/8	50
D187 L 100	.14	18.70	1	3/8	50
D187 L SLV	-	18.70	-	3/8	50
D202 L 050	-	20.20	1/2	3/8	54
D202 L 075	-	20.20	3/4	3/8	54
D202 L 100	-	20.20	1	3/8	54
D202 L SLV	-	20.20	-	3/8	54
D203 L 050	.07	20.30	1/2	3/8	54
D203 L 075	.09	20.30	3/4	3/8	54
D203 L 100	.13	20.30	1	3/8	54
D203 L SLV	-	20.30	-	3/8	54
D210 L 050	.070	21.00	1/2	3/8	56
D210 L 075	.100	21.00	3/4	3/8	56
D210 L 100	.130	21.00	1	3/8	56
D210 L SLV	-	21.00	-	3/8	56
D217 L 050	-	21.70	1/2	3/8	58
D217 L 075	-	21.70	3/4	3/8	58
D217 L 100	-	21.70	1	3/8	58
D217 L SLV	-	21.70	-	3/8	58
D225 L 050	.070	22.50	1/2	3/8	60
D225 L 075	.100	22.50	3/4	3/8	60
D225 L 100	.140	22.50	1	3/8	60
D225 L SLV	-	22.50	-	3/8	60
D233 L 050	-	23.30	1/2	3/8	62
D233 L 075	-	23.30	3/4	3/8	62
D233 L 100	-	23.30	1	3/8	62
D233 L SLV	-	23.30	-	3/8	62
D240 L 050	.080	24.00	1/2	3/8	64
D240 L 075	.120	24.00	3/4	3/8	64
D240 L 100	.160	24.00	1	3/8	64
D240 L SLV	-	24.00	-	3/8	64
D244 L 050	-	24.40	1/2	3/8	65
D244 L 075	-	24.40	3/4	3/8	65
D244 L 100	-	24.40	1	3/8	65
D244 L SLV	-	24.40	-	3/8	65
D255 L 050	.080	25.50	1/2	3/8	68
D255 L 075	.120	25.50	3/4	3/8	68
D255 L 100	.170	25.50	1	3/8	68
D255 L SLV	-	25.50	-	3/8	68
D263 L 050	.080	26.30	1/2	3/8	70
D263 L 075	.120	26.30	3/4	3/8	70
D263 L 100	.170	26.30	1	3/8	70
D263 L SLV	-	26.30	-	3/8	70
D270 L 050	.090	27.00	1/2	3/8	72
D270 L 075	.130	27.00	3/4	3/8	72
D270 L 100	.170	27.00	1	3/8	72
D270 L SLV	-	27.00	-	3/8	72
D275 L 050	-	27.50	1/2	3/8	73

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D275 L 075	-	27.50	3/4	3/8	73
D275 L 100	-	27.50	1	3/8	73
D275 L SLV	-	27.50	-	3/8	73
D277 L 050	.090	27.70	1/2	3/8	74
D277 L 075	.130	27.70	3/4	3/8	74
D277 L 100	.170	27.70	1	3/8	74
D277 L SLV	-	27.70	-	3/8	74
D280 L 050	-	28.00	1/2	3/8	75
D280 L 075	-	28.00	3/4	3/8	75
D280 L 100	-	28.00	1	3/8	75
D280 L SLV	-	28.00	-	3/8	75
D285 L 050	.090	28.50	1/2	3/8	76
D285 L 075	.130	28.50	3/4	3/8	76
D285 L 100	.180	28.50	1	3/8	76
D285 L SLV	-	28.50	-	3/8	76
D300 L 050	.100	30.00	1/2	3/8	80
D300 L 075	.140	30.00	3/4	3/8	80
D300 L 100	.200	30.00	1	3/8	80
D300 L SLV	-	30.00	-	3/8	80
D304 L 050	.100	30.40	1/2	3/8	81
D304 L 075	.140	30.40	3/4	3/8	81
D304 L 100	.200	30.40	1	3/8	81
D304 L SLV	-	30.40	-	3/8	81
D315 L 050	.100	31.50	1/2	3/8	84
D315 L 075	.150	31.50	3/4	3/8	84
D315 L 100	.200	31.50	1	3/8	84
D315 L SLV	-	31.50	-	3/8	84
D322 L 050	.100	32.20	1/2	3/8	86
D322 L 075	.160	32.20	3/4	3/8	86
D322 L 100	.210	32.20	1	3/8	86
D322 L SLV	-	32.20	-	3/8	86
D330 L 050	-	33.00	1/2	3/8	88
D330 L 075	-	33.00	3/4	3/8	88
D330 L 100	-	33.00	1	3/8	88
D330 L SLV	-	33.00	-	3/8	88
D337 L 050	.110	33.70	1/2	3/8	90
D337 L 075	.170	33.70	3/4	3/8	90
D337 L 100	.210	33.70	1	3/8	90
D337 L SLV	-	33.70	-	3/8	90
D345 L 050	.110	34.50	1/2	3/8	92
D345 L 075	.170	34.50	3/4	3/8	92
D345 L 100	.220	34.50	1	3/8	92
D345 L SLV	-	34.50	-	3/8	92
D352 L 050	-	35.20	1/2	3/8	94
D352 L 075	-	35.20	3/4	3/8	94
D352 L 100	-	35.20	1	3/8	94
D352 L SLV	-	35.20	-	3/8	94
D356 L 050	-	35.60	1/2	3/8	95
D356 L 075	-	35.60	3/4	3/8	95
D356 L 100	-	35.60	1	3/8	95
D356 L SLV	-	35.60	-	3/8	95
D360 L 050	.120	36.00	1/2	3/8	96
D360 L 075	.170	36.00	3/4	3/8	96
D360 L 100	.220	36.00	1	3/8	96
D360 L SLV	-	36.00	-	3/8	96
D367 L 050	.120	36.70	1/2	3/8	98
D367 L 075	.170	36.70	3/4	3/8	98

# American (Inch Pitch) Double Synchronous Belts

## L Pitch




### 3/8 Inch Pitch (L) for 1/2", 3/4" & 1.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth	Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D367 L 100	.230	36.70	1	3/8	98	D480 L SLV	-	48.00	-	3/8	128
D367 L SLV	-	36.70	-	3/8	98	D495 L 050	-	49.50	1/2	3/8	132
D375 L 050	.120	37.50	1/2	3/8	100	D495 L 075	-	49.50	3/4	3/8	132
D375 L 075	.180	37.50	3/4	3/8	100	D495 L 100	-	49.50	1	3/8	132
D375 L 100	.240	37.50	1	3/8	100	D495 L SLV	-	49.50	-	3/8	132
D375 L SLV	-	37.50	-	3/8	100	D510 L 050	.170	51.00	1/2	3/8	136
D382 L 050	.120	38.20	1/2	3/8	102	D510 L 075	.260	51.00	3/4	3/8	136
D382 L 075	.180	38.20	3/4	3/8	102	D510 L 100	.320	51.00	1	3/8	136
D382 L 100	.240	38.20	1	3/8	102	D510 L SLV	-	51.00	-	3/8	136
D382 L SLV	-	38.20	-	3/8	102	D525 L 050	.170	52.50	1/2	3/8	140
D390 L 050	.130	39.00	1/2	3/8	104	D525 L 075	.260	52.50	3/4	3/8	140
D390 L 075	.180	39.00	3/4	3/8	104	D525 L 100	.340	52.50	1	3/8	140
D390 L 100	.250	39.00	1	3/8	104	D525 L SLV	-	52.50	-	3/8	140
D390 L SLV	-	39.00	-	3/8	104	D540 L 050	.180	52.50	1/2	3/8	140
D394 L 050	-	39.40	1/2	3/8	105	D540 L 075	.280	52.50	3/4	3/8	140
D394 L 075	-	39.40	3/4	3/8	105	D540 L 100	.340	52.50	1	3/8	140
D394 L 100	-	39.40	1	3/8	105	D540 L SLV	-	52.50	-	3/8	140
D394 L SLV	-	39.40	-	3/8	105	D548 L 050	.180	54.80	1/2	3/8	146
D397 L 050	-	39.70	1/2	3/8	106	D548 L 075	.280	54.80	3/4	3/8	146
D397 L 075	-	39.70	3/4	3/8	106	D548 L 100	.340	54.80	1	3/8	146
D397 L 100	-	39.70	1	3/8	106	D548 L SLV	-	54.80	-	3/8	146
D397 L SLV	-	39.70	-	3/8	106	D555 L 050	-	55.50	1/2	3/8	148
D405 L 050	-	40.50	1/2	3/8	108	D555 L 075	-	55.50	3/4	3/8	148
D405 L 075	-	40.50	3/4	3/8	108	D555 L 100	-	55.50	1	3/8	148
D405 L 100	-	40.50	1	3/8	108	D555 L SLV	-	55.50	-	3/8	148
D405 L SLV	-	40.50	-	3/8	108	D570 L 050	-	57.00	1/2	3/8	152
D408 L 050	-	40.80	1/2	3/8	109	D570 L 075	-	57.00	3/4	3/8	152
D408 L 075	-	40.80	3/4	3/8	109	D570 L 100	-	57.00	1	3/8	152
D408 L 100	-	40.80	1	3/8	109	D570 L SLV	-	57.00	-	3/8	152
D408 L SLV	-	40.80	-	3/8	109	D574 L 050	-	57.40	1/2	3/8	153
D412 L 050	-	41.20	1/2	3/8	110	D574 L 075	-	57.40	3/4	3/8	153
D412 L 075	-	41.20	3/4	3/8	110	D574 L 100	-	57.40	1	3/8	153
D412 L 100	-	41.20	1	3/8	110	D574 L SLV	-	57.40	-	3/8	153
D412 L SLV	-	41.20	-	3/8	110	D585 L 050	-	58.50	1/2	3/8	156
D420 L 050	.140	42.00	1/2	3/8	112	D585 L 075	-	58.50	3/4	3/8	156
D420 L 075	.200	42.00	3/4	3/8	112	D585 L 100	-	58.50	1	3/8	156
D420 L 100	.270	42.00	1	3/8	112	D585 L SLV	-	58.50	-	3/8	156
D420 L SLV	-	42.00	-	3/8	112	D600 L 050	.200	60.00	1/2	3/8	160
D427 L 050	.140	42.70	1/2	3/8	114	D600 L 075	.300	60.00	3/4	3/8	160
D427 L 075	.200	42.70	3/4	3/8	114	D600 L 100	.360	60.00	1	3/8	160
D427 L 100	.270	42.70	1	3/8	114	D600 L SLV	-	60.00	-	3/8	160
D427 L SLV	-	42.70	-	3/8	114	D630 L 050	-	63.00	1/2	3/8	168
D435 L 050	-	43.50	1/2	3/8	116	D630 L 075	-	63.00	3/4	3/8	168
D435 L 075	-	43.50	3/4	3/8	116	D630 L 100	-	63.00	1	3/8	168
D435 L 100	-	43.50	1	3/8	116	D630 L SLV	-	63.00	-	3/8	168
D435 L SLV	-	43.50	-	3/8	116	D660 L 050	.220	66.00	1/2	3/8	176
D442 L 050	-	44.20	1/2	3/8	118	D660 L 075	.330	66.00	3/4	3/8	176
D442 L 075	-	44.20	3/4	3/8	118	D660 L 100	.420	66.00	1	3/8	176
D442 L 100	-	44.20	1	3/8	118	D660 L SLV	-	66.00	-	3/8	176
D442 L SLV	-	44.20	-	3/8	118	D694 L 050	-	69.40	1/2	3/8	185
D450 L 050	.150	45.00	1/2	3/8	120	D694 L 075	-	69.40	3/4	3/8	185
D450 L 075	.200	45.00	3/4	3/8	120	D694 L 100	-	69.40	1	3/8	185
D450 L 100	.290	45.00	1	3/8	120	D694 L SLV	-	69.40	-	3/8	185
D450 L SLV	-	45.00	-	3/8	120	D720 L 050	-	72.00	1/2	3/8	192
D480 L 050	.160	48.00	1/2	3/8	128	D720 L 075	-	72.00	3/4	3/8	192
D480 L 075	.220	48.00	3/4	3/8	128	D720 L 100	-	72.00	1	3/8	192
D480 L 100	.310	48.00	1	3/8	128	D720 L SLV	-	72.00	-	3/8	192



# American (Inch Pitch) Double Synchronous Belts L Pitch




## 3/8 Inch Pitch (L) for 1/2", 3/4" & 1.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D728 L 050	.240	72.80	1/2	3/8	194
D728 L 075	.340	72.80	3/4	3/8	194
D728 L 100	.450	72.80	1	3/8	194
D728 L SLV	-	72.80	-	3/8	194
D731 L 050	.240	73.10	1/2	3/8	195
D731 L 075	.340	73.10	3/4	3/8	195
D731 L 100	.450	73.10	1	3/8	195
D731 L SLV	-	73.10	-	3/8	195
D765 L 050	-	76.50	1/2	3/8	204
D765 L 075	-	76.50	3/4	3/8	204
D765 L 100	-	76.50	1	3/8	204
D765 L SLV	-	76.50	-	3/8	204
D817 L 050	-	81.70	1/2	3/8	218
D817 L 075	-	81.70	3/4	3/8	218
D817 L 100	-	81.70	1	3/8	218
D817 L SLV	-	81.70	-	3/8	218
D863 L 050	.280	86.30	1/2	3/8	230
D863 L 075	.400	86.30	3/4	3/8	230
D863 L 100	.550	86.30	1	3/8	230
D863 L SLV	-	86.30	-	3/8	230
D881 L 050	.280	88.10	1/2	3/8	235
D881 L 075	.400	88.10	3/4	3/8	235
D881 L 100	.560	88.10	1	3/8	235
D881 L SLV	-	88.10	-	3/8	235
D1028 L 050	-	102.80	1/2	3/8	274
D1028 L 075	-	102.80	3/4	3/8	274
D1028 L 100	-	102.80	1	3/8	274
D1028 L SLV	-	102.80	-	3/8	274
D1148 L 050	-	114.80	1/2	3/8	306
D1148 L 075	-	114.80	3/4	3/8	306
D1148 L 100	-	114.80	1	3/8	306
D1148 L SLV	-	114.80	-	3/8	306
D1192 L 050	-	119.20	1/2	3/8	318
D1192 L 075	-	119.20	3/4	3/8	318
D1192 L 100	-	119.20	1	3/8	318
D1192 L SLV	-	119.20	-	3/8	318
D1418 L 050	-	141.80	1/2	3/8	378
D1418 L 075	-	141.80	3/4	3/8	378
D1418 L 100	-	141.80	1	3/8	378
D1418 L SLV	-	141.80	-	3/8	378

**Note:**  
American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.

# American (Inch Pitch) Double Synchronous Belts

## H Pitch




### 1/2 Inch Pitch (H) for 1.0", 1 1/2", 2.0" & 3.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth	Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D200 H 075	-	20.00	3/4	1/2	40	D285 H 200	-	28.50	2	1/2	57
D200 H 100	-	20.00	1	1/2	40	D285 H 300	-	28.50	3	1/2	57
D200 H 150	-	20.00	1 1/2	1/2	40	D285 H SLV	-	28.50	-	1/2	57
D200 H 200	-	20.00	2	1/2	40	D290 H 075	-	29.00	3/4	1/2	58
D200 H 300	-	20.00	3	1/2	40	D290 H 100	-	29.00	1	1/2	58
D200 H SLV	-	20.00	-	1/2	40	D290 H 150	-	29.00	1 1/2	1/2	58
D210 H 075	-	21.00	3/4	1/2	42	D290 H 200	-	29.00	2	1/2	58
D210 H 100	-	21.00	1	1/2	42	D290 H 300	-	29.00	3	1/2	58
D210 H 150	-	21.00	1 1/2	1/2	42	D290 H SLV	-	29.00	-	1/2	58
D210 H 200	-	21.00	2	1/2	42	D300 H 075	.23	30.00	3/4	1/2	60
D210 H 300	-	21.00	3	1/2	42	D300 H 100	.300	30.00	1	1/2	60
D210 H SLV	-	21.00	-	1/2	42	D300 H 150	.450	30.00	1 1/2	1/2	60
D220 H 075	-	22.00	3/4	1/2	44	D300 H 200	.600	30.00	2	1/2	60
D220 H 100	-	22.00	1	1/2	44	D300 H 300	.910	30.00	3	1/2	60
D220 H 150	-	22.00	1 1/2	1/2	44	D300 H SLV	-	30.00	-	1/2	60
D220 H 200	-	22.00	2	1/2	44	D310 H 075	-	31.00	3/4	1/2	62
D220 H 300	-	22.00	3	1/2	44	D310 H 100	.310	31.00	1	1/2	62
D220 H SLV	-	22.00	-	1/2	44	D310 H 150	.470	31.00	1 1/2	1/2	62
D230 H 075	-	23.00	3/4	1/2	46	D310 H 200	.620	31.00	2	1/2	62
D230 H 100	.240	23.00	1	1/2	46	D310 H 300	.930	31.00	3	1/2	62
D230 H 150	.360	23.00	1 1/2	1/2	46	D310 H SLV	-	31.00	-	1/2	62
D230 H 200	.480	23.00	2	1/2	46	D320 H 075	-	32.00	3/4	1/2	64
D230 H 300	.720	23.00	3	1/2	46	D320 H 100	.320	32.00	1	1/2	64
D230 H SLV	-	23.00	-	1/2	46	D320 H 150	.480	32.00	1 1/2	1/2	64
D240 H 075	.180	24.00	3/4	1/2	48	D320 H 200	.640	32.00	2	1/2	64
D240 H 100	.250	24.00	1	1/2	48	D320 H 300	.960	32.00	3	1/2	64
D240 H 150	.380	24.00	1 1/2	1/2	48	D320 H SLV	-	32.00	-	1/2	64
D240 H 200	.490	24.00	2	1/2	48	D330 H 075	.25	33.00	3/4	1/2	66
D240 H 300	.750	24.00	3	1/2	48	D330 H 100	.330	33.00	1	1/2	66
D240 H SLV	-	24.00	-	1/2	48	D330 H 150	.490	33.00	1 1/2	1/2	66
D250 H 075	-	25.00	3/4	1/2	50	D330 H 200	.660	33.00	2	1/2	66
D250 H 100	-	25.00	1	1/2	50	D330 H 300	.990	33.00	3	1/2	66
D250 H 150	-	25.00	1 1/2	1/2	50	D330 H SLV	-	33.00	-	1/2	66
D250 H 200	-	25.00	2	1/2	50	D335 H 075	-	33.50	3/4	1/2	67
D250 H 300	-	25.00	3	1/2	50	D335 H 100	-	33.50	1	1/2	67
D250 H SLV	-	25.00	-	1/2	50	D335 H 150	-	33.50	1 1/2	1/2	67
D260 H 075	-	26.00	3/4	1/2	52	D335 H 200	-	33.50	2	1/2	67
D260 H 100	-	26.00	1	1/2	52	D335 H 300	-	33.50	3	1/2	67
D260 H 150	-	26.00	1 1/2	1/2	52	D335 H SLV	-	33.50	-	1/2	67
D260 H 200	-	26.00	2	1/2	52	D340 H 075	-	34.00	3/4	1/2	68
D260 H 300	-	26.00	3	1/2	52	D340 H 100	.340	34.00	1	1/2	68
D260 H SLV	-	26.00	-	1/2	52	D340 H 150	.510	34.00	1 1/2	1/2	68
D270 H 075	.20	27.00	3/4	1/2	54	D340 H 200	.680	34.00	2	1/2	68
D270 H 100	.270	27.00	1	1/2	54	D340 H 300	1.020	34.00	3	1/2	68
D270 H 150	.410	27.00	1 1/2	1/2	54	D340 H SLV	-	34.00	-	1/2	68
D270 H 200	.540	27.00	2	1/2	54	D345 H 075	-	34.50	3/4	1/2	69
D270 H 300	.820	27.00	3	1/2	54	D345 H 100	-	34.50	1	1/2	69
D270 H SLV	-	27.00	-	1/2	54	D345 H 150	-	34.50	1 1/2	1/2	69
D280 H 075	-	28.00	3/4	1/2	56	D345 H 200	-	34.50	2	1/2	69
D280 H 100	.280	28.00	1	1/2	56	D345 H 300	-	34.50	3	1/2	69
D280 H 150	.420	28.00	1 1/2	1/2	56	D345 H SLV	-	34.50	-	1/2	69
D280 H 200	.560	28.00	2	1/2	56	D350 H 075	-	35.00	3/4	1/2	70
D280 H 300	.840	28.00	3	1/2	56	D350 H 100	.350	35.00	1	1/2	70
D280 H SLV	-	28.00	-	1/2	56	D350 H 150	.520	35.00	1 1/2	1/2	70
D285 H 075	-	28.50	3/4	1/2	57	D350 H 200	.700	35.00	2	1/2	70
D285 H 100	-	28.50	1	1/2	57	D350 H 300	1.040	35.00	3	1/2	70
D285 H 150	-	28.50	1 1/2	1/2	57	D350 H SLV	-	35.00	-	1/2	70

# American (Inch Pitch) Double Synchronous Belts

## H Pitch




### 1/2 Inch Pitch (H) for 1.0", 1 1/2", 2.0" & 3.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth	Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D360 H 075	.27	36.00	3/4	1/2	72	D450 H 200	.910	45.00	2	1/2	90
D360 H 100	.360	36.00	1	1/2	72	D450 H 300	1.370	45.00	3	1/2	90
D360 H 150	.540	36.00	1 1/2	1/2	72	D450 H SLV	-	45.00	-	1/2	90
D360 H 200	.730	36.00	2	1/2	72	D460 H 075	-	46.00	3/4	1/2	92
D360 H 300	1.090	36.00	3	1/2	72	D460 H 100	-	46.00	1	1/2	92
D360 H SLV	-	36.00	-	1/2	72	D460 H 150	-	46.00	1 1/2	1/2	92
D370 H 075	-	37.00	3/4	1/2	74	D460 H 200	-	46.00	2	1/2	92
D370 H 100	.370	37.00	1	1/2	74	D460 H 300	-	46.00	3	1/2	92
D370 H 150	.550	37.00	1 1/2	1/2	74	D460 H SLV	-	46.00	-	1/2	92
D370 H 200	.740	37.00	2	1/2	74	D470 H 075	-	47.00	3/4	1/2	94
D370 H 300	1.100	37.00	3	1/2	74	D470 H 100	-	47.00	1	1/2	94
D370 H SLV	-	37.00	-	1/2	74	D470 H 150	-	47.00	1 1/2	1/2	94
D380 H 075	-	38.00	3/4	1/2	76	D470 H 200	-	47.00	2	1/2	94
D380 H 100	-	38.00	1	1/2	76	D470 H 300	-	47.00	3	1/2	94
D380 H 150	-	38.00	1 1/2	1/2	76	D470 H SLV	-	47.00	-	1/2	94
D380 H 200	-	38.00	2	1/2	76	D480 H 075	.350	48.00	3/4	1/2	96
D380 H 300	-	38.00	3	1/2	76	D480 H 100	.480	48.00	1	1/2	96
D380 H SLV	-	38.00	-	1/2	76	D480 H 150	.730	48.00	1 1/2	1/2	96
D390 H 075	.290	39.00	3/4	1/2	78	D480 H 200	.980	48.00	2	1/2	96
D390 H 100	.390	39.00	1	1/2	78	D480 H 300	1.460	48.00	3	1/2	96
D390 H 150	.580	39.00	1 1/2	1/2	78	D480 H SLV	-	48.00	-	1/2	96
D390 H 200	.780	39.00	2	1/2	78	D490 H 075	-	49.00	3/4	1/2	98
D390 H 300	1.170	39.00	3	1/2	78	D490 H 100	.490	49.00	1	1/2	98
D390 H SLV	-	39.00	-	1/2	78	D490 H 150	.740	49.00	1 1/2	1/2	98
D400 H 075	-	40.00	3/4	1/2	80	D490 H 200	.980	49.00	2	1/2	98
D400 H 100	.400	40.00	1	1/2	80	D490 H 300	1.480	49.00	3	1/2	98
D400 H 150	.600	40.00	1 1/2	1/2	80	D490 H SLV	-	49.00	-	1/2	98
D400 H 200	.800	40.00	2	1/2	80	D500 H 075	-	50.00	3/4	1/2	100
D400 H 300	1.200	40.00	3	1/2	80	D500 H 100	-	50.00	1	1/2	100
D400 H SLV	-	40.00	-	1/2	80	D500 H 150	-	50.00	1 1/2	1/2	100
D410 H 075	-	41.00	3/4	1/2	82	D500 H 200	-	50.00	2	1/2	100
D410 H 100	.410	41.00	1	1/2	82	D500 H 300	-	50.00	3	1/2	100
D410 H 150	.610	41.00	1 1/2	1/2	82	D500 H SLV	-	50.00	-	1/2	100
D410 H 200	.820	41.00	2	1/2	82	D510 H 075	.380	51.00	3/4	1/2	102
D410 H 300	1.220	41.00	3	1/2	82	D510 H 100	.510	51.00	1	1/2	102
D410 H SLV	-	41.00	-	1/2	82	D510 H 150	.770	51.00	1 1/2	1/2	102
D420 H 075	.320	42.00	3/4	1/2	84	D510 H 200	1.030	51.00	2	1/2	102
D420 H 100	.420	42.00	1	1/2	84	D510 H 300	1.550	51.00	3	1/2	102
D420 H 150	.630	42.00	1 1/2	1/2	84	D510 H SLV	-	51.00	-	1/2	102
D420 H 200	.850	42.00	2	1/2	84	D520 H 075	-	52.00	3/4	1/2	104
D420 H 300	1.270	42.00	3	1/2	84	D520 H 100	-	52.00	1	1/2	104
D420 H SLV	-	42.00	-	1/2	84	D520 H 150	-	52.00	1 1/2	1/2	104
D430 H 075	-	43.00	3/4	1/2	86	D520 H 200	-	52.00	2	1/2	104
D430 H 100	.430	43.00	1	1/2	86	D520 H 300	-	52.00	3	1/2	104
D430 H 150	.650	43.00	1 1/2	1/2	86	D520 H SLV	-	52.00	-	1/2	104
D430 H 200	.860	43.00	2	1/2	86	D530 H 075	-	53.00	3/4	1/2	106
D430 H 300	1.300	43.00	3	1/2	86	D530 H 100	.530	53.00	1	1/2	106
D430 H SLV	-	43.00	-	1/2	86	D530 H 150	.800	53.00	1 1/2	1/2	106
D445 H 075	-	44.50	3/4	1/2	89	D530 H 200	1.060	53.00	2	1/2	106
D445 H 100	-	44.50	1	1/2	89	D530 H 300	1.800	53.00	3	1/2	106
D445 H 150	-	44.50	1 1/2	1/2	89	D530 H SLV	-	53.00	-	1/2	106
D445 H 200	-	44.50	2	1/2	89	D540 H 075	.400	54.00	3/4	1/2	108
D445 H 300	-	44.50	3	1/2	89	D540 H 100	.530	54.00	1	1/2	108
D445 H SLV	-	44.50	-	1/2	89	D540 H 150	.820	54.00	1 1/2	1/2	108
D450 H 075	.330	45.00	3/4	1/2	90	D540 H 200	1.090	54.00	2	1/2	108
D450 H 100	.460	45.00	1	1/2	90	D540 H 300	1.640	54.00	3	1/2	108
D450 H 150	.680	45.00	1 1/2	1/2	90	D540 H SLV	-	54.00	-	1/2	108

# American (Inch Pitch) Double Synchronous Belts

## H Pitch




### 1/2 Inch Pitch (H) for 1.0", 1 1/2", 2.0" & 3.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth	Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D550 H 075	-	55.00	3/4	1/2	110	D680 H 200	1.360	68.00	2	1/2	136
D550 H 100	-	55.00	1	1/2	110	D680 H 300	2.040	68.00	3	1/2	136
D550 H 150	-	55.00	1 1/2	1/2	110	D680 H SLV	-	68.00	-	1/2	136
D550 H 200	-	55.00	2	1/2	110	D700 H 075	.510	70.00	3/4	1/2	140
D550 H 300	-	55.00	3	1/2	110	D700 H 100	.700	70.00	1	1/2	140
D550 H SLV	-	55.00	-	1/2	110	D700 H 150	1.050	70.00	1 1/2	1/2	140
D560 H 075	-	56.00	3/4	1/2	112	D700 H 200	1.420	70.00	2	1/2	140
D560 H 100	.560	56.00	1	1/2	112	D700 H 300	2.130	70.00	3	1/2	140
D560 H 150	.840	56.00	1 1/2	1/2	112	D700 H SLV	-	70.00	-	1/2	140
D560 H 200	1.120	56.00	2	1/2	112	D710 H 075	-	71.00	3/4	1/2	142
D560 H 300	1.680	56.00	3	1/2	112	D710 H 100	-	71.00	1	1/2	142
D560 H SLV	-	56.00	-	1/2	112	D710 H 150	-	71.00	1 1/2	1/2	142
D570 H 075	.420	57.00	3/4	1/2	114	D710 H 200	-	71.00	2	1/2	142
D570 H 100	.570	57.00	1	1/2	114	D710 H 300	-	71.00	3	1/2	142
D570 H 150	.860	57.00	1 1/2	1/2	114	D710 H SLV	-	71.00	-	1/2	142
D570 H 200	1.160	57.00	2	1/2	114	D725 H 075	-	72.50	3/4	1/2	145
D570 H 300	1.730	57.00	3	1/2	114	D725 H 100	-	72.50	1	1/2	145
D570 H SLV	-	57.00	-	1/2	114	D725 H 150	-	72.50	1 1/2	1/2	145
D580 H 075	-	58.00	3/4	1/2	116	D725 H 200	-	72.50	2	1/2	145
D580 H 100	.580	58.00	1	1/2	116	D725 H 300	-	72.50	3	1/2	145
D580 H 150	.870	58.00	1 1/2	1/2	116	D725 H SLV	-	72.50	-	1/2	145
D580 H 200	1.160	58.00	2	1/2	116	D730 H 075	-	73.00	3/4	1/2	146
D580 H 300	1.740	58.00	3	1/2	116	D730 H 100	-	73.00	1	1/2	146
D580 H SLV	-	58.00	-	1/2	116	D730 H 150	-	73.00	1 1/2	1/2	146
D600 H 075	.440	60.00	3/4	1/2	120	D730 H 200	-	73.00	2	1/2	146
D600 H 100	.600	60.00	1	1/2	120	D730 H 300	-	73.00	3	1/2	146
D600 H 150	.910	60.00	1 1/2	1/2	120	D730 H SLV	-	73.00	-	1/2	146
D600 H 200	1.210	60.00	2	1/2	120	D750 H 075	-	75.00	3/4	1/2	150
D600 H 300	1.820	60.00	3	1/2	120	D750 H 100	.750	75.00	1	1/2	150
D600 H SLV	-	60.00	-	1/2	120	D750 H 150	1.130	75.00	1 1/2	1/2	150
D630 H 075	.470	63.00	3/4	1/2	126	D750 H 200	1.510	75.00	2	1/2	150
D630 H 100	.620	63.00	1	1/2	126	D750 H 300	2.280	75.00	3	1/2	150
D630 H 150	.950	63.00	1 1/2	1/2	126	D750 H SLV	-	75.00	-	1/2	150
D630 H 200	1.270	63.00	2	1/2	126	D770 H 075	-	77.00	3/4	1/2	154
D630 H 300	1.910	63.00	3	1/2	126	D770 H 100	.770	77.00	1	1/2	154
D630 H SLV	-	63.00	-	1/2	126	D770 H 150	1.160	77.00	1 1/2	1/2	154
D640 H 075	-	64.00	3/4	1/2	128	D770 H 200	1.540	77.00	2	1/2	154
D640 H 100	-	64.00	1	1/2	128	D770 H 300	2.320	77.00	3	1/2	154
D640 H 150	-	64.00	1 1/2	1/2	128	D770 H SLV	-	77.00	-	1/2	154
D640 H 200	-	64.00	2	1/2	128	D800 H 075	.580	80.00	3/4	1/2	160
D640 H 300	-	64.00	3	1/2	128	D800 H 100	.790	80.00	1	1/2	160
D640 H SLV	-	64.00	-	1/2	128	D800 H 150	1.210	80.00	1 1/2	1/2	160
D650 H 075	-	65.00	3/4	1/2	130	D800 H 200	1.610	80.00	2	1/2	160
D650 H 100	.650	65.00	1	1/2	130	D800 H 300	2.430	80.00	3	1/2	160
D650 H 150	.980	65.00	1 1/2	1/2	130	D800 H SLV	-	80.00	-	1/2	160
D650 H 200	1.300	65.00	2	1/2	130	D810 H 075	-	81.00	3/4	1/2	162
D650 H 300	1.960	65.00	3	1/2	130	D810 H 100	.810	81.00	1	1/2	162
D650 H SLV	-	65.00	-	1/2	130	D810 H 150	1.220	81.00	1 1/2	1/2	162
D660 H 075	.490	66.00	3/4	1/2	132	D810 H 200	1.620	81.00	2	1/2	162
D660 H 100	.660	66.00	1	1/2	132	D810 H 300	2.440	81.00	3	1/2	162
D660 H 150	1.000	66.00	1 1/2	1/2	132	D810 H SLV	-	81.00	-	1/2	162
D660 H 200	1.330	66.00	2	1/2	132	D840 H 075	-	84.00	3/4	1/2	168
D660 H 300	2.000	66.00	3	1/2	132	D840 H 100	.840	84.00	1	1/2	168
D660 H SLV	-	66.00	-	1/2	132	D840 H 150	1.260	84.00	1 1/2	1/2	168
D680 H 075	-	68.00	3/4	1/2	136	D840 H 200	1.680	84.00	2	1/2	168
D680 H 100	.680	68.00	1	1/2	136	D840 H 300	2.520	84.00	3	1/2	168
D680 H 150	1.020	68.00	1 1/2	1/2	136	D840 H SLV	-	84.00	-	1/2	168

# American (Inch Pitch) Double Synchronous Belts

## H Pitch




### 1/2 Inch Pitch (H) for 1.0", 1 1/2", 2.0" & 3.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D850 H 075	.630	85.00	3/4	1/2	170
D850 H 100	.850	85.00	1	1/2	170
D850 H 150	1.290	85.00	1 1/2	1/2	170
D850 H 200	1.720	85.00	2	1/2	170
D850 H 300	2.590	85.00	3	1/2	170
D850 H SLV	-	85.00	-	1/2	170
D860 H 075	-	85.00	3/4	1/2	170
D860 H 100	.860	85.00	1	1/2	170
D860 H 150	1.290	85.00	1 1/2	1/2	170
D860 H 200	1.720	85.00	2	1/2	170
D860 H 300	2.580	85.00	3	1/2	170
D860 H SLV	-	85.00	-	1/2	170
D880 H 075	-	88.00	3/4	1/2	176
D880 H 100	.880	88.00	1	1/2	176
D880 H 150	1.320	88.00	1 1/2	1/2	176
D880 H 200	1.760	88.00	2	1/2	176
D880 H 300	2.640	88.00	3	1/2	176
D880 H SLV	-	88.00	-	1/2	176
D900 H 075	.660	90.00	3/4	1/2	180
D900 H 100	.900	90.00	1	1/2	180
D900 H 150	1.350	90.00	1 1/2	1/2	180
D900 H 200	1.820	90.00	2	1/2	180
D900 H 300	2.730	90.00	3	1/2	180
D900 H SLV	-	90.00	-	1/2	180
D950 H 075	-	95.00	3/4	1/2	190
D950 H 100	.950	95.00	1	1/2	190
D950 H 150	1.430	95.00	1 1/2	1/2	190
D950 H 200	1.900	95.00	2	1/2	190
D950 H 300	2.860	95.00	3	1/2	190
D950 H SLV	-	95.00	-	1/2	190
D960 H 075	-	96.00	3/4	1/2	192
D960 H 100	-	96.00	1	1/2	192
D960 H 150	-	96.00	1 1/2	1/2	192
D960 H 200	-	96.00	2	1/2	192
D960 H 300	-	96.00	3	1/2	192
D960 H SLV	-	96.00	-	1/2	192
D980 H 075	-	98.00	3/4	1/2	196
D980 H 100	-	98.00	1	1/2	196
D980 H 150	-	98.00	1 1/2	1/2	196
D980 H 200	-	98.00	2	1/2	196
D980 H 300	-	98.00	3	1/2	196
D980 H SLV	-	98.00	-	1/2	196
D1000 H 075	.730	100.00	3/4	1/2	200
D1000 H 100	1.000	100.00	1	1/2	200
D1000 H 150	1.510	100.00	1 1/2	1/2	200
D1000 H 200	2.020	100.00	2	1/2	200
D1000 H 300	3.060	100.00	3	1/2	200
D1000 H SLV	-	100.00	-	1/2	200
D1020 H 075	-	102.00	3/4	1/2	204
D1020 H 100	1.000	102.00	1	1/2	204
D1020 H 150	1.500	102.00	1 1/2	1/2	204
D1020 H 200	2.000	102.00	2	1/2	204
D1020 H 300	3.000	102.00	3	1/2	204
D1020 H SLV	-	102.00	-	1/2	204
D1050 H 075	-	105.00	3/4	1/2	210
D1050 H 100	1.050	105.00	1	1/2	210
D1050 H 150	1.580	105.00	1 1/2	1/2	210

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D1050 H 200	2.100	105.00	2	1/2	210
D1050 H 300	3.160	105.00	3	1/2	210
D1050 H SLV	-	105.00	-	1/2	210
D1085 H 075	-	108.50	3/4	1/2	217
D1085 H 100	-	108.50	1	1/2	217
D1085 H 150	-	108.50	1 1/2	1/2	217
D1085 H 200	-	108.50	2	1/2	217
D1085 H 300	-	108.50	3	1/2	217
D1085 H SLV	-	108.50	-	1/2	217
D1100 H 075	.820	110.00	3/4	1/2	220
D1100 H 100	1.090	110.00	1	1/2	220
D1100 H 150	1.650	110.00	1 1/2	1/2	220
D1100 H 200	2.180	110.00	2	1/2	220
D1100 H 300	3.340	110.00	3	1/2	220
D1100 H SLV	-	110.00	-	1/2	220
D1120 H 075	-	112.00	3/4	1/2	224
D1120 H 100	-	112.00	1	1/2	224
D1120 H 150	-	112.00	1 1/2	1/2	224
D1120 H 200	-	112.00	2	1/2	224
D1120 H 300	-	112.00	3	1/2	224
D1120 H SLV	-	112.00	-	1/2	224
D1130 H 075	-	113.00	3/4	1/2	226
D1130 H 100	-	113.00	1	1/2	226
D1130 H 150	-	113.00	1 1/2	1/2	226
D1130 H 200	-	113.00	2	1/2	226
D1130 H 300	-	113.00	3	1/2	226
D1130 H SLV	-	113.00	-	1/2	226
D1140 H 075	-	114.00	3/4	1/2	228
D1140 H 100	1.150	114.00	1	1/2	228
D1140 H 150	1.730	114.00	1 1/2	1/2	228
D1140 H 200	2.300	114.00	2	1/2	228
D1140 H 300	3.460	114.00	3	1/2	228
D1140 H SLV	-	114.00	-	1/2	228
D1150 H 075	-	115.00	3/4	1/2	230
D1150 H 100	-	115.00	1	1/2	230
D1150 H 150	-	115.00	1 1/2	1/2	230
D1150 H 200	-	115.00	2	1/2	230
D1150 H 300	-	115.00	3	1/2	230
D1150 H SLV	-	115.00	-	1/2	230
D1250 H 075	.930	125.00	3/4	1/2	250
D1250 H 100	1.250	125.00	1	1/2	250
D1250 H 150	1.890	125.00	1 1/2	1/2	250
D1250 H 200	2.500	125.00	2	1/2	250
D1250 H 300	3.800	125.00	3	1/2	250
D1250 H SLV	-	125.00	-	1/2	250
D1270 H 075	-	127.00	3/4	1/2	254
D1270 H 100	-	127.00	1	1/2	254
D1270 H 150	-	127.00	1 1/2	1/2	254
D1270 H 200	-	127.00	2	1/2	254
D1270 H 300	-	127.00	3	1/2	254
D1270 H SLV	-	127.00	-	1/2	254
D1325 H 075	-	132.50	3/4	1/2	265
D1325 H 100	-	132.50	1	1/2	265
D1325 H 150	-	132.50	1 1/2	1/2	265
D1325 H 200	-	132.50	2	1/2	265
D1325 H 300	-	132.50	3	1/2	265
D1325 H SLV	-	132.50	-	1/2	265

# American (Inch Pitch) Double Synchronous Belts H / XH Pitch




## 1/2 Inch Pitch (H) for 1.0", 1 1/2", 2.0" & 3.0" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D1350 H 075	-	135.00	3/4	1/2	270
D1350 H 100	1.350	135.00	1	1/2	270
D1350 H 150	2.030	135.00	1 1/2	1/2	270
D1350 H 200	2.700	135.00	2	1/2	270
D1350 H 300	4.060	135.00	3	1/2	270
D1350 H SLV	-	135.00	-	1/2	270
D1400 H 075	1.020	140.00	3/4	1/2	280
D1400 H 100	1.400	140.00	1	1/2	280
D1400 H 150	2.110	140.00	1 1/2	1/2	280
D1400 H 200	2.800	140.00	2	1/2	280
D1400 H 300	4.250	140.00	3	1/2	280
D1400 H SLV	-	140.00	-	1/2	280
D1450 H 075	-	145.00	3/4	1/2	290
D1450 H 100	-	145.00	1	1/2	290
D1450 H 150	-	145.00	1 1/2	1/2	290
D1450 H 200	-	145.00	2	1/2	290
D1450 H 300	-	145.00	3	1/2	290
D1450 H SLV	-	145.00	-	1/2	290
D1560 H 075	-	156.00	3/4	1/2	312
D1560 H 100	-	156.00	1	1/2	312
D1560 H 150	-	156.00	1 1/2	1/2	312
D1560 H 200	-	156.00	2	1/2	312
D1560 H 300	-	156.00	3	1/2	312
D1560 H SLV	-	156.00	-	1/2	312
D1700 H 075	1.260	170.00	3/4	1/2	340
D1700 H 100	1.700	170.00	1	1/2	340
D1700 H 150	2.550	170.00	1 1/2	1/2	340
D1700 H 200	3.400	170.00	2	1/2	340
D1700 H 300	5.100	170.00	3	1/2	340
D1700 H SLV	-	170.00	-	1/2	340

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D507 XH 200	-	50.70	2	7/8	58
D507 XH 300	-	50.70	3	7/8	58
D507 XH 400	-	50.70	4	7/8	58
D507 XH 500	-	50.70	5	7/8	58
D507 XH 600	-	50.70	6	7/8	58
D507 XH 700	-	50.70	7	7/8	58
D507 XH SLV	-	50.70	-	7/8	58
D560 XH 200	-	56.00	2	7/8	64
D560 XH 300	-	56.00	3	7/8	64
D560 XH 400	-	56.00	4	7/8	64
D560 XH 500	-	56.00	5	7/8	64
D560 XH 600	-	56.00	6	7/8	64
D560 XH 700	-	56.00	7	7/8	64
D560 XH SLV	-	56.00	-	7/8	64
D570 XH 200	-	57.00	2	7/8	65
D570 XH 300	-	57.00	3	7/8	65
D570 XH 400	-	57.00	4	7/8	65
D570 XH 500	-	57.00	5	7/8	65
D570 XH 600	-	57.00	6	7/8	65
D570 XH 700	-	57.00	7	7/8	65
D570 XH SLV	-	57.00	-	7/8	65
D580 XH 200	-	58.00	2	7/8	66
D580 XH 300	-	58.00	3	7/8	66
D580 XH 400	-	58.00	4	7/8	66
D580 XH 500	-	58.00	5	7/8	66
D580 XH 600	-	58.00	6	7/8	66
D580 XH 700	-	58.00	7	7/8	66
D580 XH SLV	-	58.00	-	7/8	66
D610 XH 200	-	61.00	2	7/8	70
D610 XH 300	-	61.00	3	7/8	70
D610 XH 400	-	61.00	4	7/8	70
D610 XH 500	-	61.00	5	7/8	70
D610 XH 600	-	61.00	6	7/8	70
D610 XH 700	-	61.00	7	7/8	70
D610 XH SLV	-	61.00	-	7/8	70
D630 XH 200	-	63.00	2	7/8	72
D630 XH 300	-	63.00	3	7/8	72
D630 XH 400	-	63.00	4	7/8	72
D630 XH 500	-	63.00	5	7/8	72
D630 XH 600	-	63.00	6	7/8	72
D630 XH 700	-	63.00	7	7/8	72
D630 XH SLV	-	63.00	-	7/8	72
D700 XH 200	-	70.00	2	7/8	80
D700 XH 300	-	70.00	3	7/8	80
D700 XH 400	-	70.00	4	7/8	80
D700 XH 500	-	70.00	5	7/8	80
D700 XH 600	-	70.00	6	7/8	80
D700 XH 700	-	70.00	7	7/8	80
D700 XH SLV	-	70.00	-	7/8	80
D752 XH 200	-	75.20	2	7/8	86
D752 XH 300	-	75.20	3	7/8	86
D752 XH 400	-	75.20	4	7/8	86
D752 XH 500	-	75.20	5	7/8	86
D752 XH 600	-	75.20	6	7/8	86
D752 XH 700	-	75.20	7	7/8	86
D752 XH SLV	-	75.20	-	7/8	86
D770 XH 200	-	77.00	2	7/8	88

**Note:**  
**American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.**

# American (Inch Pitch) Double Synchronous Belts XH Pitch




## 7/8 Inch Pitch (XH) for 3", 4", 5", 6" & 7" Wide Belts

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D770 XH 300	-	77.00	3	7/8	88
D770 XH 400	-	77.00	4	7/8	88
D770 XH 500	-	77.00	5	7/8	88
D770 XH 600	-	77.00	6	7/8	88
D770 XH 700	-	77.00	7	7/8	88
D770 XH SLV	-	77.00	-	7/8	88
D800 XH 200	-	80.00	2	7/8	91
D800 XH 300	-	80.00	3	7/8	91
D800 XH 400	-	80.00	4	7/8	91
D800 XH 500	-	80.00	5	7/8	91
D800 XH 600	-	80.00	6	7/8	91
D800 XH 700	-	80.00	7	7/8	91
D800 XH SLV	-	80.00	-	7/8	91
D840 XH 200	-	84.00	2	7/8	96
D840 XH 300	-	84.00	3	7/8	96
D840 XH 400	-	84.00	4	7/8	96
D840 XH 500	-	84.00	5	7/8	96
D840 XH 600	-	84.00	6	7/8	96
D840 XH 700	-	84.00	7	7/8	96
D840 XH SLV	-	84.00	-	7/8	96
D980 XH 200	-	98.00	2	7/8	112
D980 XH 300	-	98.00	3	7/8	112
D980 XH 400	-	98.00	4	7/8	112
D980 XH 500	-	98.00	5	7/8	112
D980 XH 600	-	98.00	6	7/8	112
D980 XH 700	-	98.00	7	7/8	112
D980 XH SLV	-	98.00	-	7/8	112
D1000 XH 200	-	100.00	2	7/8	114
D1000 XH 300	-	100.00	3	7/8	114
D1000 XH 400	-	100.00	4	7/8	114
D1000 XH 500	-	100.00	5	7/8	114
D1000 XH 600	-	100.00	6	7/8	114
D1000 XH 700	-	100.00	7	7/8	114
D1000 XH SLV	-	100.00	-	7/8	114
D1120 XH 200	-	112.00	2	7/8	128
D1120 XH 300	-	112.00	3	7/8	128
D1120 XH 400	-	112.00	4	7/8	128
D1120 XH 500	-	112.00	5	7/8	128
D1120 XH 600	-	112.00	6	7/8	128
D1120 XH 700	-	112.00	7	7/8	128
D1120 XH SLV	-	112.00	-	7/8	128
D1260 XH 200	-	126.00	2	7/8	144
D1260 XH 300	-	126.00	3	7/8	144
D1260 XH 400	-	126.00	4	7/8	144
D1260 XH 500	-	126.00	5	7/8	144
D1260 XH 600	-	126.00	6	7/8	144
D1260 XH 700	-	126.00	7	7/8	144
D1260 XH SLV	-	126.00	-	7/8	144
D1400 XH 200	-	140.00	2	7/8	160
D1400 XH 300	-	140.00	3	7/8	160
D1400 XH 400	-	140.00	4	7/8	160
D1400 XH 500	-	140.00	5	7/8	160
D1400 XH 600	-	140.00	6	7/8	160
D1400 XH 700	-	140.00	7	7/8	160
D1400 XH SLV	-	140.00	-	7/8	160
D1540 XH 200	-	154.00	2	7/8	176
D1540 XH 300	-	154.00	3	7/8	176

Part Number	Approx. Weight (Lbs)	Belt Length (inches)	Belt Width (inches)	Pitch (inches)	No. of Teeth
D1540 XH 400	-	154.00	4	7/8	176
D1540 XH 500	-	154.00	5	7/8	176
D1540 XH 600	-	154.00	6	7/8	176
D1540 XH 700	-	154.00	7	7/8	176
D1540 XH SLV	-	154.00	-	7/8	176
D1575 XH 200	-	157.50	2	7/8	180
D1575 XH 300	-	157.50	3	7/8	180
D1575 XH 400	-	157.50	4	7/8	180
D1575 XH 500	-	157.50	5	7/8	180
D1575 XH 600	-	157.50	6	7/8	180
D1575 XH 700	-	157.50	7	7/8	180
D1575 XH SLV	-	157.50	-	7/8	180

**Note:**  
**American Metric Corporation's Advanced Polymer Group has developed a new state-of-the-art revolutionary molding process whereby special profiles can be produced at very minimal cost. If you need it, We can produce it.**

# American (Imperial) Pitch Synchronous Belts Neoprene Construction



## MXL (0.080") Pitch

Belt No.	Pitch Length		No. Teeth	Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)			(inch)	(mm)	
432MXL	4.32	109.73	54	2008MXL	20.08	510.03	251
440MXL	4.40	111.76	55	2384MXL	23.84	605.54	298
448MXL	4.48	113.79	56	2776MXL	27.76	705.10	347
464MXL	4.64	117.86	58	2824MXL	28.24	717.30	353
480MXL	4.80	121.92	60	2920MXL	29.20	741.68	365
544MXL	5.44	138.18	68	2968MXL	29.68	753.87	371
560MXL	5.60	142.24	70	2976MXL	29.76	755.90	372
568MXL	5.68	144.27	71	3200MXL	32.00	812.80	400
576MXL	5.76	146.30	72	3296MXL	32.96	837.18	412
600MXL	6.00	152.40	75	3440MXL	34.40	873.76	430
616MXL	6.16	156.46	77	3472MXL	34.72	881.89	434
640MXL	6.40	162.56	80	3624MXL	36.24	920.50	453
656MXL	6.56	166.62	82	3704MXL	37.04	940.82	463
672MXL	6.72	170.69	84	3984MXL	39.84	1011.94	498
680MXL	6.80	172.72	85	4024MXL	40.24	1022.10	503
696MXL	6.96	176.78	87	4040MXL	40.40	1026.16	505
704MXL	7.04	178.82	88				
720MXL	7.20	182.88	90				
752MXL	7.52	191.01	94				
760MXL	7.60	193.04	95				
776MXL	7.76	197.10	97				
800MXL	8.00	203.20	100				
808MXL	8.08	205.23	101				
824MXL	8.24	209.30	103				
840MXL	8.40	213.36	105				
848MXL	8.48	215.39	106				
880MXL	8.80	223.52	110				
896MXL	8.96	227.58	112				
904MXL	9.04	229.62	113				
912MXL	9.12	231.65	114				
944MXL	9.44	239.78	118				
960MXL	9.60	243.84	120				
976MXL	9.76	247.90	122				
984MXL	9.84	249.94	123				
1000MXL	10.00	254.00	125				
1008MXL	10.08	256.03	126				
1040MXL	10.40	264.16	130				
1056MXL	10.56	268.22	132				
1120MXL	11.20	284.48	140				
1200MXL	12.00	304.80	150				
1240MXL	12.40	314.96	155				
1312MXL	13.12	333.25	164				
1328MXL	13.28	337.31	167				
1320MXL	13.20	335.28	165				
1360MXL	13.60	345.44	170				
1400MXL	14.00	355.60	175				
1440MXL	14.40	365.76	180				
1472MXL	14.72	373.89	184				
1800MXL	18.00	457.20	225				
1888MXL	18.88	479.55	236				


Standard Belt Width (inch)	12	19	25	31
----------------------------	----	----	----	----

Ordering Example:  
 360 MXL 012  
 360----- Length (inch)  
 MXL----- Type  
 012----- Width (inch)

**American Metric® Corporation**



# American (Imperial) Pitch Synchronous Belts Neoprene Construction



## XL (0.200") Pitch

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
60XL	6.0	152.40	30
70XL	7.0	177.80	35
76XL	7.6	193.04	38
80XL	8.0	203.20	40
86XL	8.6	218.44	43
88XL	8.8	223.52	44
90XL	9.0	228.60	45
92XL	9.2	233.68	46
94XL	9.4	238.76	47
96XL	9.6	243.84	48
100XL	10.0	254.00	50
102XL	10.2	259.08	51
106XL	10.6	269.24	53
108XL	10.8	274.32	54
110XL	11.0	279.40	55
112XL	11.2	284.48	56
116XL	11.6	294.64	58
118XL	11.8	299.72	59
120XL	12.0	304.80	60
124XL	12.4	320.04	62
126XL	12.6	314.96	63
128XL	12.8	325.12	64
130XL	13.0	330.20	65
134XL	13.4	340.36	67
136XL	13.6	345.44	68
138XL	13.8	350.52	69
140XL*	14.0	355.60	70
148XL	14.8	375.92	74
150XL*	15.0	381.00	75
154XL	15.4	391.16	77
156XL*	15.6	396.24	78
160XL*	16.0	406.40	80
162XL	16.2	411.72	81
166XL	16.6	421.64	83
168XL	16.8	426.72	84
170XL*	17.0	431.80	85
174XL	17.4	441.96	87
176XL	17.6	447.04	88
178XL	17.8	452.12	89
180XL*	18.0	457.20	90
182XL	18.2	462.28	91
184XL	18.4	467.36	92
188XL	18.8	477.52	94
190XL*	19.0	482.60	95
196XL	19.6	497.84	98
198XL	19.8	502.92	99
200XL*	20.0	508.00	100
210XL*	21.0	533.40	105
220XL*	22.0	558.80	110
230XL*	23.0	584.20	115

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
240XL*	24.0	609.60	120
244XL	24.4	619.76	122
248XL	24.8	629.92	124
250XL*	25.0	635.00	125
260XL*	26.0	660.40	130
270XL	27.0	685.80	135
272XL	27.2	690.88	136
274XL	27.4	695.96	137
280XL*	28.0	711.20	140
286XL	28.6	726.44	143
290XL	29.0	736.60	145
296XL	29.6	751.84	148
300XL*	30.0	762.00	150
306XL	30.6	777.24	153
310XL*	31.0	787.40	155
316XL	31.6	802.64	158
322XL	32.2	817.88	161
330XL	33.0	838.20	165
340XL	34.0	863.60	170
344XL	34.4	873.76	172
350XL	35.0	889.00	175
380XL	38.0	965.20	190
382XL	38.2	970.28	191
388XL	38.8	985.52	194
390XL	39.0	990.60	195
392XL	39.2	995.68	196
412XL	41.2	1046.48	206
414XL	41.4	1051.56	207
438XL	43.8	1112.52	219
460XL	46.0	1168.40	230
498XL	49.8	1264.92	249
506XL	50.6	1285.24	253
514XL	51.4	1305.56	257
580XL	58.0	1473.20	290
630XL	63.0	1600.20	315

Standard Belt Width (inch)	25	31	37	50	75	100
----------------------------	----	----	----	----	----	-----

\*Double Sided Available

**American Metric® Corporation**

Ordering Example:

60 XL 025

60----- Length (inch)



XL----- Type

025----- Width (inch)

GROUP: 091

1-091 - 060216

# American (Imperial) Pitch Synchronous Belts Neoprene Construction



## L (0.375") Pitch

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
124L	12.375	314.30	33
150L*	15.00	381.00	40
169L	16.90	429.26	45
173L*	17.30	439.42	46
187L*	18.75	476.20	50
202L*	20.20	513.08	53
210L*	21.00	533.40	56
225L*	22.50	571.50	60
236L	23.60	600.70	63
240L*	24.00	609.60	64
244L	24.40	619.76	65
255L*	25.50	647.70	68
270L*	27.00	685.80	72
285L*	28.50	723.90	76
300L*	30.00	762.00	80
322L*	32.25	819.10	86
345L*	34.50	876.30	92
367L*	36.75	933.40	98
390L*	39.00	990.60	104
405L	40.50	1028.70	108
420L*	42.00	1066.80	112
450L*	45.00	1143.00	120
454L	45.40	1152.53	121
480L*	48.00	1219.20	128
510L*	51.00	1295.40	136
540L*	54.00	1371.60	144
600L*	60.00	1524.00	160
660L*	66.00	1676.40	176
817L*	81.70	2075.18	217

## H (0.500") Pitch

Belt No.	Pitch Length		No. Teeth
	(inch)	(mm)	
240H*	24.0	609.6	48
255H	25.5	647.7	51
270H*	27.0	685.8	54
300H*	30.0	762.0	60
330H*	33.0	838.2	66
335H	33.5	850.9	67
360H*	36.0	914.4	72
370H	37.0	939.8	74
390H*	39.0	990.6	78
400H	40.0	1016.0	80
420H*	42.0	1066.8	84
450H*	45.0	1143.0	90
480H*	48.0	1219.2	96
510H*	51.0	1295.4	102
540H*	54.0	1371.6	108
570H*	57.0	1447.8	114
600H*	60.0	1524.0	120
630H*	63.0	1600.2	126
660H*	66.0	1676.4	132
700H*	70.0	1778.0	140
730H	73.0	1854.2	146
750H*	75.0	1905.0	150
800H*	80.0	2032.0	160
850H*	85.0	2159.0	170
900H*	90.0	2286.0	180
1000H*	100.0	2540.0	200
1100H*	110.0	2794.0	220
1250H*	125.0	3175.0	250
1400H*	140.0	3556.0	280
1700H*	170.0	4318.0	340

Standard Belt Width (inch)	50	75	100	150	200	300
----------------------------	----	----	-----	-----	-----	-----

Standard Belt Width (inch)	75	100	150	200	300	400	500
----------------------------	----	-----	-----	-----	-----	-----	-----

### Ordering Example:

124 L 050

124----- Length (inch)

L----- Type

050----- Width (inch)

\*Double Sided Available